

DERWENT-ACC-NO: 1989-368692

DERWENT-WEEK: 199006

COPYRIGHT 2009 DERWENT INFORMATION LTD

TITLE: Plasma unit for metal melting and refining has plasma submerging tuyere situated in melting chamber side wall opposite drainage spout on same level as spout

INVENTOR: KOSTYAKOV V N; NOIDEK V L ; POLETAEV E
B

PATENT-ASSIGNEE: AS UKR CASTING PROBLEMS[AUCA] ,
NAJDEK V[NAJDI]

PRIORITY-DATA: 1982SU-3395349 (February 10,
1982) , 1987DD-304543 (July 3,
1987)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
SU 1048810 A	July 7, 1989	RU
DD 271238 A	August 30, 1989	DE

APPLICATION-DATA:

PUB-NO	APPL- DESCRIPTOR	APPL-NO	APPL-DATE
SU 1048810A	N/A	1982SU- 3395349	February 10, 1982
DD 271238A	N/A	1987DD- 304543	July 3, 1987

INT-CL-CURRENT:

TYPE	IPC DATE
CIPS	C22B9/22 20060101

ABSTRACTED-PUB-NO: SU 1048810 A**BASIC-ABSTRACT:**

The unit has melting chamber (3) with a drainage spout (6), plasmatron (2) and hearth electrode (4). The metal refining process efficiency is increased, the construction is simplified and operation reliability is increased since the unit is provided with plasma submerging tuyere (5) situated in the melting chamber side wall opposite the drainage spout on the same level as the spout, and a reversing turning mechanism which allows tilting of the chamber up to 90 deg. towards the drainage spout and the plasma tuyere.

The charge is loaded to the melting chamber, lid (1) is shut and plasmatron (2) is switched on and the metal is melted. At the end of the melting process the plasmatron is switched off and the plasma tuyere is switched on. Simultaneously the

turning mechanism is switched on and the furnace is turned through 90 deg. towards the tuyere (5). After above tuyere space filling with liq. metal the metal refined by ionised gas blowing which is supplied to the melt through plasma tuyere, where it is heated to high temps. At the end of the melt treatment process the turning mechanism is switched on and turns the furnace towards the drainage spout.

USE - The unit is used for metal melting and refining. Bul.25/7.7.89

CHOSEN-DRAWING: Dwg.1/2

TITLE-TERMS: PLASMA UNIT METAL MELT REFINE
SUBMERGED TUYERE SITUATE CHAMBER
SIDE WALL OPPOSED DRAIN SPOUT
LEVEL

DERWENT-CLASS: M25 X25

CPI-CODES: M22-G03G; M25-J;

EPI-CODES: X25-Q01;

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: 1989-163474

Non-CPI Secondary Accession Numbers: 1989-280451